REFERENCES

1. Garg S, Sharma S. Gastroretentive drug delivery systems. 2003; Available at: URL:http://www.bbriefings.com/pdf/17/pt031_p_garg.pdf.
2. Chawla G, Gupta P, Koradia V, Bansal AK. Gastroretention: A means to address regional variability in intestinal drug absorption. Pharm Tech [serial online] 2003 Jul; 27(7): 50-68.
3. Tayade P. Gastroretentive drugs: A review. 2003; [4 screens]. Available at: URL: http://www.expresspharmapulse.com/20030417/ndds1.shtml.
4. Shivakumar HG, Gowda DV, Pramodkumar TM. Floating controlled drug delivery systems for prolonged gastric residence: A review. Indian J Pharm Educ 2004; 38(4):172-180.
5. Robinson JR, Li HK, Lee VHL. Influence of drug properties and routes of administration on design of sustained and controlled release systems. In: Robinson JR, Lee VHL, editors. Controlled drug delivery: Fundamentals and applications. 2nd ed. New York: Marcel Dekker Inc; 1987:5-12.
6. Welling PG, Dobrinska MR. Dosing considerations and bioavailability assessment of controlled drug delivery systems. In: Robinson JR, Lee VHL, editors. Controlled drug delivery: Fundamentals and applications. 2nd ed. New York: Marcel Dekker Inc; 1987: 253-264.
7. Rocca JG, Omidian H, Shah K. Progress in gastroretentive drug delivery systems. 2003; Available at: URL:http://bbriefings.com/pdf/17/ACF8D8E.pdf.
8. Klausner EA, Lavy E, Friedman M, Hoffman A. Expandable gastroretentive dosage forms. J Control Release 2003; 90: 143-162.
9. Gronia R, Heun G. Oral dosage forms with controlled gastrointestinal transit. Drug Dev Ind Pharm 1984; 10: 527-539.
10. Atyabi F, Sharma HL, Mohammad HAH, Fell JT. *In vivo* evaluation of a novel gastroretentive formulation based on ion exchange resins. J Control Release 1996; 42: 105-13.
11. Chien YW. Oral drug delivery and delivery systems. In: Swarbrick J, editor. Novel drug delivery systems. 2nd rev ed. New York: Marcel Dekker Inc; 1992: 139-172.
12. Singh BN, Kim HK. Floating drug delivery systems: An approach to oral controlled drug delivery via gastric retention. J Control Release 2000; 63: 235-259.

13. Jain NK, Vora B, Khopade AJ, Jain VVD. Targeted Oral Drug Delivery. Indian Drugs. 1996; 33(7): 365-373.
14. Michaels AS. Drug delivery device with self actuated mechanism for retaining device in selected area. US Patent. 1974; 3:786-813.
15. Tortora GJ and Grabowski SR editors Principles of Anatomy and Physiology. 10th ed. New York, John Wiley and Sons, 2002: 866-873.
16. Wilson KJW, Waugh A. Anatomy and Physiology in Health and Illness. 9th ed. Churchill Livinstone, London, 1996: 294-298.
17. Wilson CG et al. Bimodal release of ibuprofen in a sustained release formulation: a scintigraphic and pharmacokinetic open study in healthy volunteer under different conditions of food intake. Int. J. Pharm. 1989; 55: 155-160.
18. Pithavala YK, Heizer WD, Parr AF, O'Connor-Semmes RL, Browser KLR. Use of the InteliSite capsule to study Ranitidine absorption from various sites within the human intestinal tract. Pharm. Res. 1998; 15: 1869–1875.
19. Kusumdevi V, Vijayalakshmi P. The role of foods during medication, Pharma. Times. 2003; 35, 19-21.
20. Basit A, Podczeck F, Newton JM, Waddington WA, Ell PJ, Lacey LF. The use of formulation technology to assess regional gastrointestinal drug absorption in humans. Eur. J. Pharm. Sci. 2004; 21: 179-189.
21. Basit A, Lacey L. Colonic metabolism of Ranitidine: implications for its delivery and absorption. Int. J. Pharm. 2001; 227:157-165.
22. Sood A, Panchagnula R. Design of controlled release delivery systems using a modified pharmacokinetic approach: a case study for drugs having a short elimination half-life and a narrow therapeutic index. Int. J. Pharm. 2003; 261: 27-41.
23. Maru AD, Lalla JK. Intragastric floating tablets as novel oral drug delivery system. Indian Drugs 1987; 25(2):57-69.
24. Sangekar S, Vadino WA, Chaudry I, Parr A, Beihn R, Digensis G. Evaluation of the effect of food and specific gravity of tablets on gastric retention time. Int J Pharm 1987; 35:187-191.
25. Nath BS, Reddy SC. Ibuprofen embedded wax/fat microspherules for floating drug delivery system for controlled delivery. The Eastern Pharmacist 1995; 38(452):169-172.

26. Kawashima Y, Niwa T, Takeuchi H, Hino T, Itoh Y. Hollow microspheres for use as floating controlled drug delivery system in the stomach. J Pharm Sci 1992; 81(2):135-140.
27. El Kamel AH, Sokar MS, Al Gamal SS, Naggar VF. Evaluation of stomach protective activity of Ketoprofen floating microparticles. Indian J Pharm Sci 2003; 65(4):399-401.
28. Baumgartner S, Kristl J, Vrecer F, Vodopivec P, Zorko B. Optimization of floating matrix tablets and evaluation of their gastric residence time. Int J Pharm 2000; 195:125-135.
29. Hilton AK, Deasy PB. *In vitro and in vivo* evaluation of an oral sustained release floating dosage form of amoxycillin trihydrate. Int J Pharm 1992; 86:79-88.
30. Menon A, Ritschel WA, Sakr A. Development and evaluation of a monolithic floating dosage form for furosemide. J Pharm Sci 1994; 83(2):239-245.
31. Basak SC, Nageswara Rao K, Manavalan R, Ramarao P. Development and *in vitro* evaluation of an oral floating matrix tablet formulation of Ciprofloxacin. Indian J Pharm Sci 2004; 66(3):313-316.
32. Kohri N, Naasani I, Iseki K, Miyazaki K. Improving the oral bioavailability of sulpiride by a gastric retained form in rabbits. J Pharm Pharmacol 1996; 48:371-374.
33. Bhaskaran S, Harsha. Hydrodynamic oral floating controlled delivery of Diltiazem Hydrochloride. The Eastern Pharmacist 2001; 44(525):105-107.
34. Gohel MC, Mehta PR, Dave RK, Bariya NH. A more relevant dissolution method for evaluation of floating drug delivery system. Dissolution Technologies 2004 Nov; 11(4):22-25.
35. Muthusamy K, Govindarazan G, Ravi TK. Preparation and evaluation of Lansoprazole floating micropellets. Ind J Pharm Sci 2005; 67(1):75-79.
36. Deshpande AA, Shah NH, Rhodes CT, Malick W. Development of a novel controlled release system for gastric retention. Pharm. Res. 1997; 14(6): 815-819.
37. Castellanos RM, Zia H, Rhodes TC. Design and testing *in-vitro* of a bioadhesive and floating drug delivery system for oral application. Int J Pharm1994; 105:65-70.
38. Shoufeng L, Senshang L, Chein YW, Daggy BP, Mirchandani HL. Statistical optimization of gastric gloating system for oral controlled delivery of calcium. AAPS Pharm. Sci. Tech. 2001; 2: 1-12.

39. Ozdemir N, Ordu S, Ozkan Y. Studies of floating dosage forms of Furosemide: *In-vitro* and *In vivo* evaluations of bilayer tablet formulations. Drug. Dev. Ind. Pharm. 2000; 857-866.
40. Joseph NJ, Lakshmi S, Jayakrishnan A. A floating type oral dosage form for Piroxicam based on hollow polycarbonate microspheres; *In vitro- In vivo* evaluation in rabbits. J. Cont. Rel. 2002; 79: 71-79.
41. Rouge N, Allemann E. Buoyancy and drug release patterns of floating minitablets containing Piretanide and Atenolol as model drugs. Pharm. Dev. Technol. 1998; 3:73-84.
42. Ingani HM, Timmermans J, Moes AJ. Concept and in-vivo investigation of per oral sustained release floating dosage forms with enhanced gastrointestinal transit. Int. J. Pharm. 1987; 35: 157-164.
43. Park HJ, Choi BY, Hwang SJ, park JB. Preparation of alginate beads for floating drug delivery systems: effects of CO_2 gas forming agents. Int. J. Pharm. 2002; 239:81-91.
44. Chandira M, Bhavesh, Venkateshwarlu BS, Jayakar B, Bhowmik D. Studies on formulations and evaluation of floating tablets containing anti-ulcer drugs. Der Pharmacia Lettre 2009; 1 (2): 102-114.
45. Akelesh T, Sapkal SB, Sivakumar R, Jothi R, Venkatnarayanan R. Formulation development of gastro retentive floating tablet of acyclovir using natural gums. Der Pharmacia Lettre. 2011; 3(1): 254-261
46. Blanquet S, Zeijdner E, Beyssac E, Meunier J. A dynamic artificial gastrointestinal system for studying the behavior of orally administered drug dosage forms under various physiological conditions. Pharm. Res. 2004; 21:585-591.
47. El-Gibaly I. Development and in-vitro evaluation of novel floating chitosan microcapsules for oral use: Comparison with non-floating chitosan microspheres. Int. J. Pharm. 2002; 249: 7-21.
48. Tilkan Gy, Turkmen B Ozdemir N. Effect of formulation parameters on the drug release and floating properties of gastric floating two-layer tablets with acetylsalicylic acid. Acta Pharm. (2011); 61: 303–312.
49. Chandira M, Debjit C, Jayakar B, Kumar KPS. Design and characterisation of sustain release gastro retentive floating tablets of Diltiazem Hydrochloride. Der Pharmacia Lettre, 2009, 1 (2) 25-38.

50. Pare A, Yadav SK, Patil UK. Formulation and Evaluation of Effervescent Floating Tablet of Amlodipine besylate. Research J. Pharm. and Tech. 2008;1(4:) 526-530
51. Jagdale SC, Amit J. Agavekar AJ , Sudhir V. Pandya SV, Kuchekar BS, Chabukswar AR. Formulation and Evaluation of Gastroretentive Drug Delivery System of Propranolol Hydrochloride AAPS PharmSciTech, Vol. 10, No. 3, September 2009;1071-1079.
52. Rahman Z, Ali M, Khar RK. Design and evaluation of bilayer floating tablets of captopril. Acta Pharm. 2006; 56: 49–57.
53. Jangde R, Gorde N, Hargude S, Saraf S. Monolithic floating tablets of nimesulide. The Pharmaceutical Magazine Institute of Pharmacy, Raipur; 2007: 1-3.